

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	116266	search\$3 near4 (database\$3 data information docuemnt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:05
L2	36532	(input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:05
L3	9105	(search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:05
L4	66	((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and (convert\$4 near5 search\$4 near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:05
L5	0	((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and (convert\$4 near5 differnt near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:06
L6	66	((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and (convert\$4 near5 search\$4 near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:06
L7	0	((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and (convert\$4 near5 another near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:06

L8	4	(((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and ((result\$3 display\$4 present\$4 output\$4) near5 (two different) near5 languag\$4)) and ((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and (convert\$4 near5 search\$4 near5 languag\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:06
L9	0	((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and (convert\$4 near5 another near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:06
L10	286	synonym\$4 near4 (word\$3 keyword\$4) near5 (tabl\$4 list\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:06
L11	6	L10 same (invert\$4 near5 index\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:06
L12	80	(search\$3 near4 (database\$3 data information docuemnt\$3)) and (((convert\$4 translat\$4) near5 (input\$4 word\$4 keyword\$4) near5 (two different) near5 languag\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:06
L13	80	(search\$3 near4 (database\$3 data information docuemnt\$3)) and (((convert\$4 translat\$4) near5 (input\$4 word\$4 keyword\$4) near5 (two different) near5 languag\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:06
L14	32	((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and ((convert\$4 translat\$4) near5 (input\$4 word\$4 keyword\$4) near5 (two different) near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:06
L15	0	((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and (convert\$4 near5 differrnt near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:06

L16	9	((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and (convert\$4 near5 different near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:06
L17	0	((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and (convert\$4 near5 differnt near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:08
L18	3	bi-direction\$4 near5 dictionary near5 (conver\$4 translat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:08
L19	9	((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and (convert\$4 near5 different near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:08
L20	2	bi-direction\$4 near5 synonym near5 (conver\$4 translat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:09
L21	0	((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and (convert\$4 near5 another near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:09
S1	95661	search\$3 near4 (database\$3 data information docuemnt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:05
S2	30056	(input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:05
S3	7240	(search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:05

S4	0	((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and (convert\$4 near5 another near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:09
S5	51	((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and (convert\$4 near5 search\$4 near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:05
S6	109	((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 15:33
S7	143	((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and ((result\$3 display\$4 present\$4 output\$4) near5 (two different) near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 15:07
S8	2	(((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and ((result\$3 display\$4 present\$4 output\$4) near5 (two different) near5 languag\$4)) and ((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and (convert\$4 near5 search\$4 near5 languag\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:05
S9	78	(((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and ((result\$3 display\$4 present\$4 output\$4) near5 (two different) near5 languag\$4)) and ((convert\$4 translat\$4) near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 15:08
S10	4253	(input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 (translat\$4 convert\$4) near5 languag\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 15:29

S11	787	(search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 (translat\$4 convert\$4) near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 15:29
S12	43	((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 (translat\$4 convert\$4) near5 languag\$4)) and (((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((input\$3 quer\$4 typ\$3 search\$4 keyword\$3 word\$) near5 languag\$4)) and ((result\$3 display\$4 present\$4 output\$4) near5 (two different) near5 languag\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 15:29
S13	166	(search\$3 near4 (database\$3 data information docuemnt\$3)) and ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 15:37
S14	0	((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and (convert\$4 near5 another near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:05
S15	0	((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and (convert\$4 near5 differrnt near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:08
S16	9	((search\$3 near4 (database\$3 data information docuemnt\$3)) and ((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and (convert\$4 near5 different near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:08
S17	1066	((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 15:37
S18	30	(((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and (convert\$4 translat\$4) near5 (input\$4 word\$4 keyword\$4) near5 (two different) near5 languag\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 15:38

S19	30	((result\$3 display\$4 present\$4) near5 (two different) near5 languag\$4)) and ((convert\$4 translat\$4) near5 (input\$4 word\$4 keyword\$4) near5 (two different) near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:06
S20	345	((convert\$4 translat\$4) near5 (input\$4 word\$4 keyword\$4) near5 (two different) near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 15:41
S21	54	(search\$3 near4 (database\$3 data information docuemnt\$3)) and ((convert\$4 translat\$4) near5 (input\$4 word\$4 keyword\$4) near5 (two different) near5 languag\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:06
S22	1771	bi-direction\$4 near5 (conver\$4 translat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 16:06
S23	2	bi-direction\$4 near5 synonym near5 (conver\$4 translat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:09
S24	2	bi-direction\$4 near5 synonym near9 (conver\$4 translat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 16:06
S25	2	bi-direction\$4 near5 synonym same (conver\$4 translat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 16:07
S26	2639920	bi-direction\$4 near5 dictionary (conver\$4 translat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 16:07
S27	2	bi-direction\$4 near5 dictionary near5 (conver\$4 translat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:08
S28	5	bi-direction\$4 near5 languag\$4 near5 (conver\$4 translat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 16:30

S29	2	"5136505".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 16:30
S30	2	"5136505".pn. and (search\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 16:32
S31	2	"5956711".pn. and (search\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 16:32
S32	104	search\$4 near5 (multi\$4 near5 languag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 10:57
S33	272	synonym\$4 near4 (word\$3 keyword\$4) near5 (tabl\$4 list\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 10:59
S34	6	S33 same (invert\$4 near5 index\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:06